

## New HCPCS codes for 2004

Fallon Community Health Plan has reviewed the new 2004 HCPCS codes and has added additional codes to the list of procedures that require preauthorization. These new codes will be effective July 1, 2004.

New HCPCS code	Description	Pre-Auth
A0800	Ambulance transport provided between the hours of 7 p.m. and 7 a.m.	Y
A4638	Replacement battery for patient-owned ear pulse generator, each	Y
A6550	Dressing set for negative pressure wound therapy electrical pump, stationary or portable, each	Y
A6551	Canister set for negative pressure wound therapy electrical pump, stationary or portable, each	Y
A9999	Miscellaneous DME supply or accessory, not otherwise specified	Y
C9410	Injection, dexazoxane, HCl, injection, brand	Y
C9412	Ganciclovir, 4.5 mg, long-acting implant, brand	Y
C9413	Sodium hyaluronate, per 20 to 25 mg dose for intraarticular injection, brand	Y
E0301	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, without mattress	Y
E0302	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, without mattress	Y
E0303	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with mattress	Y
E0304	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress	Y
E0470	Respiratory assist device, bi-level pressure capability, without backup rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device)	Y
E0471	Respiratory assist device, bi-level pressure capability, with back-up rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device)	Y
E0472	Respiratory assist device, bi-level pressure capability, with backup rate feature, used with invasive interface, e.g., tracheostomy tube (intermittent assist device with continuous positive airway pressure device)	Y
E0637	Combination sit to stand system, any size, with seat lift feature, with or without wheels	Y
E0638	Standing frame system, any size, with or without wheels	Y
E0983	Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized wheelchair, joystick control	Y
E0984	Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized wheelchair, tiller control	Y
E0985	Wheelchair accessory, seat lift mechanism	Y
E0986	Manual wheelchair accessory, push-rim activated power assist, each	Y
E1002	Wheelchair accessory, power seating system, tilt only	Y
E1003	Wheelchair accessory, power seating system, recline only, without shear reduction	Y
E1004	Wheelchair accessory, power seating system, recline only, with mechanical shear	Y

	reduction	
E1005	Wheelchair accessory, power seating system, recline only, with power shear reduction	Y
E1006	Wheelchair accessory, power seating system, combination tilt and recline, without shear reduction	Y
E1007	Wheelchair accessory, power seating system, combination tilt and recline, with mechanical shear reduction	Y
E1008	Wheelchair accessory, power seating system, combination tilt and recline, with power shear reduction	Y
E1009	Wheelchair accessory, addition to power seating system, mechanically linked leg elevation system, including pushrod and leg rest, each	Y
E1010	Wheelchair accessory, addition to power seating system, power leg elevation system, including leg rest, each	Y
E1019	Wheelchair accessory, power seating system, heavy duty feature, patient weight capacity greater than 250 pounds and less than or equal to 400 pounds	Y
E1021	Wheelchair accessory, power seating system, extra heavy duty feature, weight capacity greater than 400 pounds	Y
E1028	Wheelchair accessory, manual swingaway, retractable or removable mounting hardware for joystick, other control interface or positioning accessory	Y
E1391	Oxygen concentrator, dual delivery port, capable of delivering 85% or greater oxygen concentration at the prescribed flow rate, each	Y
E2300	Power wheelchair accessory, power seat elevation system	Y
E2301	Power wheelchair accessory, power standing system	Y
E2310	Power wheelchair accessory, electronic connection between wheelchair controller and one power seating system motor, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware	Y
E2311	Power wheelchair accessory, electronic connection between wheelchair controller and two or more power seating system motors, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware	Y
E2320	Power wheelchair accessory, hand or chin control interface, remote joystick or touchpad, proportional, including all related electronics, and fixed mounting hardware	Y
E2321	Power wheelchair accessory, hand control interface, remote joystick, nonproportional, including all related electronics, mechanical stop switch, and fixed mounting hardware	Y
E2322	Power wheelchair accessory, hand control interface, multiple mechanical switches, nonproportional, including all related electronics, mechanical stop switch, and fixed mounting hardware	Y
E2323	Power wheelchair accessory, specialty joystick handle for hand control interface, prefabricated	Y
E2325	Power wheelchair accessory, sip and puff interface, nonproportional, including all related electronics, mechanical stop switch, and manual swingaway mounting hardware	Y
E2351	Power wheelchair accessory, electronic interface to operate speech generating device using power wheelchair control interface	Y
E2399	Power wheelchair accessory, not otherwise classified interface, including all related electronics and any type mounting hardware	Y
E2402	Negative pressure wound therapy electrical pump, stationary or portable	Y
E2500	Speech generating device, digitized speech, using pre-recorded messages, less than or equal to 8 minutes recording time	Y
E2502	Speech generating device. digitized speech. using pre-recorded messages.	Y

	greater than 8 minutes but less than or equal to 20 minutes recording time	
E2504	Speech generating device, digitized speech, using pre-recorded messages, greater than 20 minutes but less than or equal to 40 minutes recording time	Y
E2506	Speech generating device, digitized speech, using pre-recorded messages, greater than 40 minutes recording time	Y
E2508	Speech generating device, synthesized speech, requiring message formulation by spelling and access by physical contact with the device	Y
E2510	Speech generating device, synthesized speech, permitting multiple methods of message formulation and multiple methods of device access	Y
E2511	Speech generating software program, for personal computer or personal digital assistant	Y
E2512	Accessory for speech generating device, mounting system	Y
E2599	Accessory for speech generating device, not otherwise classified	Y
G0296	PET imaging,full/partial ring PET scanner only, for restaging of previously treated thyroid CA of follicular cell origin	Y
H2021	Com wrap-around sv, 15 min	Y
H2022	Com wrap-around sv, per diem	Y
J0215	Injection, alefacept, 0.5 mg	Y
J1595	Injection, glatiramer acetate, 20 mg	Y
J2353	Injection, octreotide, depot form for intramuscular injection, 1 mg	Y
J2354	Injection, octreotide, non-depot form for subcutaneous or intravenous injection, 25 mcg	Y
J2505	Injection, pegfilgrastim, 6 mg	Y
J7303	Contraceptive supply, hormone containing vaginal ring, each	Y
J9263	Injection, oxaliplatin, 0.5 mg	Y
K0629	For diabetics only, multiple density insert, custom molded from model of patient's foot, total contact with patient's foot, including arch, base layer minimum of 3/16 inch material of Shore A 35 durometer or higher, includes arch filler and other shaping material, custom fabricated, each	Y
K0631	Sacroiliac orthosis, flexible, provides pelvic-sacral support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated	Y
K0633	Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels placed over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated	Y
K0638	Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, custom fabricated	Y
K0641	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures may include padding, shoulder straps, pendulous abdomen design, custom fabricated	Y
K0643	Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, custom fabricated	Y

K0645	Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junctin to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, custom fabricated	Y
K0647	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated	Y
K0649	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, anterior extends from symphysis pubis to xiphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid plastic and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, custom fabricated	Y
K0652	Skin protection wheelchair seat cushion, width less than 22 inches, any depth	Y
K0653	Skin protection wheelchair seat cushion, width 22 inches or greater, any depth	Y
K0654	Positioning wheelchair seat cushion, width less than 22 inches, any depth	Y
K0655	Positioning wheelchair seat cushion, width 22 inches or greater, any depth	Y
K0656	Skin protection and positioning wheelchair seat cushion, width less than 22 inches, any depth	Y
K0657	Skin protection and positioning wheelchair seat cushion, width 22 inches or greater, any depth	Y
K0658	Custom fabricated wheelchair seat cushion, any size	Y
K0659	Wheelchair seat cushion powered	Y
K0662	Positioning wheelchair back cushion, posterior, width less than 22 inches, any height, including any type mounting hardware	Y
K0663	Positioning wheelchair back cushion, posterior, width 22 inches or greater, any height, including any type mounting hardware	Y
K0664	Positioning wheelchair back cushion, posterior-lateral, width less than 22 inches, any height, including any type mounting hardware	Y
K0665	Positioning wheelchair back cushion, posterior-lateral width 22 inches or greater, any height, including any type mounting hardware	Y
K0666	Custom fabricated wheelchair back cushion, any size, including any type mounting hardware	Y
K0668	Replacement cover for wheelchair seat cushion or back cushion, each	Y
K0669	Wheelchair seat or back cushion, no written coding verification from SADMERC	Y
L0112	Cranial cervical orthosis, congenital torticollis type, with or without soft interface material, adjustable range of motion joint, custom fabricated	Y
L1907	AFO, supramalleolar with straps, with or without interface/pads, custom fabricated	Y
L5681	Addition to lower extremity, below knee/above knee, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679).	Y
L5683	Addition to lower extremity, below knee/above knee, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679).	Y
Q0137	Injection, darbepoetin alfa, 1 mcg (non-esrd use)	Y

S0107	Injection, omalizumab 25 mg	Y
S0158	Injection, laronidase, 0.58 mg	Y
S0159	Injection, agalsidase beta, 35 mg	Y
S0160	Dextroamphetamine sulfate, 5 mg	Y
S0161	Calcitrol, 0.25 mcg	Y
S0162	Injection, efalizumab, 125 mg	Y
S0165	Injection, abarelix, 100 mg	Y
S2082	Laparoscopy, surgical; gastric restrictive procedure, adjustable gastric band includes placement of subcutaneous port)	Y
S2085	Laparoscope gastric bypass	Y
S2113	Arthro chondrocyte implant	Y
S5560	Insulin reuse pen 1.5 ml	Y
S5561	Insulin reuse pen 3 ml	Y
S5570	Insulin dispos pen 1.5 ml	Y
S5571	Insulin dispos pen 3 ml	Y
S9434	Mod solid food suppl	Y